

# UNIQUE

## WOOD PRODUCTS

---

IN-STOCK BROCHURE



Unique Wood Products (South Houston)  
6815 Easthaven  
Houston TX 77017  
(281) 962-4592

Unique Wood Products (North Houston)  
9915 Tanner Road  
Houston TX 77041  
(281) 462-5045

# FLAT STOCK S4S (SURFACED 4 SIDES / 1X's)

## 1x2



11/16" X 1-1/2" X 16'

<b>PFJ</b> 12PR - 16	<b>POP</b> 12POP	<b>PMD</b> 12MDFPR - 16	<b>MDF</b> Non stock
<b>FLX</b> 12Flex			

## 1x4



11/16" X 3-1/2" X 16'

<b>PFJ</b> 14PR - 17	<b>POP</b> 14POP	<b>PMD</b> 14MDFPR - 17	<b>MDF</b> 14MDF - 17
<b>FLX</b> 14Flex			

## 1x6



11/16" X 5-1/2" X 16'

<b>PFJ</b> 16PR - 16	<b>POP</b> 16POP	<b>PMD</b> 16MDFPR - 16	<b>MDF</b> 16MDF - 16
<b>FLX</b> 16Flex			

## 1x8



11/16" X 7-1/4" X 16'

<b>PFJ</b> 18PR - 16	<b>POP</b> 18POP	<b>PMD</b> 18MDFPR - 16	<b>MDF</b> 18MDF - 16
<b>FLX</b> 18Flex	<b>RO</b> 18RO	<b>WO</b> 18WO	<b>MP</b> 18MP

## 1x12



11/16" X 11-1/4" X 16'

<b>PFJ</b> 112PR - 16	<b>POP</b> 112POP	<b>PMD</b> Non stock	<b>MDF</b> 112MDF - 16
-----------------------	-------------------	----------------------	------------------------

<b>PFJ</b> PRIMED FINGER JOINTED PINE	<b>FJP</b> FINGER-JOINTED PINE	<b>MDF</b> MEDIUM DENSITY FIBERBOARD	<b>PMD</b> PRIMED MDF	<b>PIN</b> PINE	<b>FLX</b> FLEXIBLE
<b>RO</b> RED OAK	<b>WO</b> WHITE OAK	<b>HK</b> HICKORY	<b>MP</b> MAPLE	<b>POP</b> POPLAR	<b>CUS</b> Custom - inquire for special wood species

\*Images and dimensions are all nominal, Images shown reflect the standard profile's shape and dimensions, all products and lengths are subject to availability, Unless indicated, all trim and mouldings are RL (random lengths from 6' to 16').

# BASEBOARDS

**ACOL7601**  3-1/4" X 9/16" X 16' **PFJ** ACOL7601PR - 16

**B314**  3-1/4" X 9/16" X 16' **PFJ** B314PR - 16

**BCOL3**  3-1/4" X 1/2" X 16' **PFJ** Non stock (By order)

**UW623**  3-1/4" X 9/16" x 16' **PFJ** 623PR - 16

**B322**  3-1/4" X 9/16" x 16' **PFJ** B322PR - 16

**B14**  3-1/2" X 9/16" x 17' **PFJ** B14

**4REV**  4" X 9/16" x 16' **PFJ** 4REVPR - 16

**UW620**  4-1/4" X 9/16" x 16' **PFJ** 620PR - 16

**B395**  4-1/4" X 9/16" x 16' **PFJ** B395PR - 16

**UW410**  4-1/4" X 9/16" x 16' **PFJ** 410PR - 16


**LB11**  4-1/2" X 9/16" x 16' **PFJ** LB11PR - 16

**B522**  4-1/2" X 9/16" x 16' **PFJ** B522PR - 16

<b>PFJ</b> PRIMED FINGER JOINTED PINE	<b>FJP</b> FINGER-JOINTED PINE	<b>MDF</b> MEDIUM DENSITY FIBERBOARD	<b>PMD</b> PRIMED MDF	<b>PIN</b> PINE	<b>FLX</b> FLEXIBLE
<b>RO</b> RED OAK	<b>WO</b> WHITE OAK	<b>HK</b> HICKORY	<b>MP</b> MAPLE	<b>POP</b> POPLAR	<b>CUS</b> Custom - inquire for special wood species

\*Images and dimensions are all nominal, Images shown reflect the standard profile's shape and dimensions, all products and lengths are subject to availability, Unless indicated, all trim and mouldings are RL (random lengths from 6' to 16').

# BASEBOARDS

<b>UW618</b>		5-1/4" X 9/16" X 16'	<b>PFJ</b>	<b>618PR - 16</b>
<b>B514</b>		5-1/4" X 9/16" X 16'	<b>PFJ</b>	<b>B514PR - 16</b>
<b>B218</b>		5-1/4" X 9/16" X 16'	<b>PFJ</b>	<b>B218PR - 16</b>
<b>UW512</b>		5-1/4" X 9/16" X 16'	<b>PFJ</b>	<b>512PR - 16</b>
<b>BCOL5</b>		5-1/4" X 1/2" X 16'	<b>PFJ</b>	<b>BCOL5PR - 16</b>
<b>ACOL7603</b>		5-1/4" X 9/16" X 16'	<b>PFJ</b>	<b>ACOL7603PR - 16</b>
<b>LB11-5</b>		5-1/4" X 9/16" X 16'	<b>PFJ</b>	<b>LB115PR - 16</b>
<b>UW610</b>		5-1/4" X 9/16" X 16'	<b>PFJ</b>	<b>610PR - 16</b>
<b>B16</b>		5-1/2" X 9/16" X 16'	<b>PFJ</b>	<b>B16</b>
<b>B695</b>		6-1/2" X 9/16" X 16'	<b>PFJ</b>	<b>B695PR - 16</b>
<b>UW810</b>		8-1/4" X 9/16" X 16'	<b>PFJ</b>	<b>810PR - 16</b>

<b>PFJ</b> PRIMED FINGER JOINTED PINE	<b>FJP</b> FINGER-JOINTED PINE	<b>MDF</b> MEDIUM DENSITY FIBERBOARD	<b>PMD</b> PRIMED MDF	<b>PIN</b> PINE	<b>FLX</b> FLEXIBLE
<b>RO</b> RED OAK	<b>WO</b> WHITE OAK	<b>HK</b> HICKORY	<b>MP</b> MAPLE	<b>POP</b> POPLAR	<b>CUS</b> Custom - inquire for special wood species

\*Images and dimensions are all nominal, Images shown reflect the standard profile's shape and dimensions, all products and lengths are subject to availability, Unless indicated, all trim and mouldings are RL (random lengths from 6' to 16').

# FLOOR MOULDINGS + TRANSITIONS

## BASE SHOE



1/2" X 3/4"

PFJ

126PR-12

RO

126RO

WO

126WO

MP

126MP

HK

126HK

PIN

126PINE

POP

126PO

FLX

126FLEX

## SQUARE BASE SHOE



1/2" X 3/4"

PFJ

128PR-12

RO

128RO

WO

128WO

MP

128MP

HK

128HK

PIN

128PINE

POP

128PO

FLX

128FLEX

## QUARTER ROUND



11/16" X 11/16"

PFJ

106PR-12

RO

106RO

WO

106WO

MP

106MP

HK

106HK

PIN

106PINE

POP

106PO

FLX

106FLEX

## MINI BABY THRESHOLD



1-1/4" X 5/8"

RO

9891RO

WO

9891WO

HK

9891HK

MP

9891MP

## MINI T MOULDING



1-1/4" X 9/16"

RO

9895RO

WO

9895WO

HK

9895HK

MP

9895MP

FLX

9895FLX

## MINI SADDLE



1-1/4" X 1/4"

RO

9899RO

WO

9899WO

HK

9899HK

MP

9899MP

## MINI OVERLAP



1-1/4" X 5/16"

RO

9893RO

WO

9893WO

HK

9893HK

MP

9893MP

<b>PFJ</b> PRIMED FINGER JOINTED PINE	<b>FJP</b> FINGER-JOINTED PINE	<b>MDF</b> MEDIUM DENSITY FIBERBOARD	<b>PMD</b> PRIMED MDF	<b>PIN</b> PINE	<b>FLX</b> FLEXIBLE
<b>RO</b> RED OAK	<b>WO</b> WHITE OAK	<b>HK</b> HICKORY	<b>MP</b> MAPLE	<b>POP</b> POPLAR	<b>CUS</b> Custom - inquire for special wood species

\*Images and dimensions are all nominal. Images shown reflect the standard profile's shape and dimensions, all products and lengths are subject to availability. Unless indicated, all trim and mouldings are RL (random lengths from 6' to 16').

# FLOOR MOULDINGS + TRANSITIONS

## BABY THRESHOLD



1-3/4" X 5/8"

**RO** 9892RO

**WO** 9892WO

## T MOULDING



1-3/4" X 9/16"

**RO** 9896RO

**WO** 9896WO

## SADDLE



1-3/4" X 5/16"

**RO** 9898RO

**WO** 9898WO

## OVERLAP



1-3/4" X 3/4"

**RO** 9897RO

**WO** 9897WO

## 8090 STAIRNOSING



2-3/4" X 3/8" X 3/4" BN

**RO** 8090RO38

**WO** 8090WO38

**HK** 8090HK38

**MP** 8090MP38

## 8090 STAIRNOSING



2-3/4" X 1/2" X 3/4" BN


**RO** 8090RO12

**WO** 8090WO12

<b>PFJ</b> PRIMED FINGER JOINTED PINE	<b>FJP</b> FINGER-JOINTED PINE	<b>MDF</b> MEDIUM DENSITY FIBERBOARD	<b>PMD</b> PRIMED MDF	<b>PIN</b> PINE	<b>FLX</b> FLEXIBLE
<b>RO</b> RED OAK	<b>WO</b> WHITE OAK	<b>HK</b> HICKORY	<b>MP</b> MAPLE	<b>POP</b> POPLAR	<b>CUS</b> Custom - inquire for special wood species

\*Images and dimensions are all nominal, Images shown reflect the standard profile's shape and dimensions, all products and lengths are subject to availability, Unless indicated, all trim and mouldings are RL (random lengths from 6' to 16').

## DOOR CASING

ACOL7303		2-1/4" X 5/8" x 14'	PFJ	ACOL7303PR - 14 ACOL7303PR - 17
ACOL7304		2-1/2" X 5/8" x 14'	PFJ	ACOL7304PR - 14 ACOL7304PR - 17
1x4		3-1/2" X 11/16" x 17'	PFJ	14PR - 17
LC11		3-1/2" X 5/8" x 17'	PFJ	LC11PR - 17
UW347		3-1/2" X 9/16" x 17'	PFJ	347PR - 17 Non stock (by order)

## CROWNS

UW52		2-3/4" x 9/16" x 16'	PFJ	1030017
UW51		3-1/4" x 9/16" x 16'	PFJ	51PR-16
UW49		3-5/8" x 9/16" x 16'	PFJ	49PR-16
UW48		4-1/4" x 9/16" x 16'	PFJ	48PR-16
UW45		5-1/4" x 9/16" x 16'	PFJ	45PR-16

PFJ	PRIMED FINGER JOINTED PINE	FJP	FINGER-JOINTED PINE	MDF	MEDIUM DENSITY FIBERBOARD	PMD	PRIMED MDF	PIN	PINE	FLX	FLEXIBLE
RO	RED OAK	WO	WHITE OAK	HK	HICKORY	MP	MAPLE	POP	POPLAR	CUS	Custom - inquire for special wood species

\*Images and dimensions are all nominal, Images shown reflect the standard profile's shape and dimensions, all products and lengths are subject to availability, Unless indicated, all trim and mouldings are RL (random lengths from 6' to 16').

# ASSORTED MOULDING & ACCESSORIES

UW93



3/4" x 3/4"



93RO



93WO



93HK



93MP



93PO

FMOULD



1-1/2" X 5/8" x 16'



1033182  
Non stock (by order)

PM5



1-1/8" X 11/16"



PM5FJ

UW204



1-1/4" X 1-1/4"



1031318

CR7



2-1/2" x 1-1/8"



1031703  
Non-stock (by order)

CR6



3-1/2" x 1-1/4"



1030502  
Non-stock (by order)

UW233



CLOSET ROD

16 1-5/16"



1041355

UW10216



WINDOW STOOL

6-1/4" x 11/16" x 16'



1033422

COOKIES



1-3/8" (PAIR)



SOCK

CLOSET  
BRACKETS



10" X 3/4"

1036069

<b>PFJ</b> PRIMED FINGER JOINTED PINE	<b>FJP</b> FINGER-JOINTED PINE	<b>MDF</b> MEDIUM DENSITY FIBERBOARD	<b>PMD</b> PRIMED MDF	<b>PIN</b> PINE	<b>FLX</b> FLEXIBLE
<b>RO</b> RED OAK	<b>WO</b> WHITE OAK	<b>HK</b> HICKORY	<b>MP</b> MAPLE	<b>POP</b> POPLAR	<b>CUS</b> Custom - inquire for special wood species

\*Images and dimensions are all nominal, Images shown reflect the standard profile's shape and dimensions, all products and lengths are subject to availability. Unless indicated, all trim and mouldings are RL (random lengths from 6' to 16').

# STAIR TREADS

## 8070 Stair Treads (1" Bullnosed x 11.5")



<b>RO</b> 8070RO42	<b>RO</b> 8070RO48	<b>RO</b> 8070RO48MR	<b>RO</b> 8070RO60	<b>RO</b> 8070RO60MR
<b>WO</b> 8070WO42	<b>WO</b> 8070WO48	<b>WO</b> 8070WO48MR	<b>WO</b> 8070WO60	<b>WO</b> 8070WO60MR

## 8071 Stair Treads (Square Edged 1" x 11.5")



<b>RO</b> 8071RO48	<b>RO</b> 8071RO60	<b>WO</b> 8071WO48	<b>WO</b> 8071WO60
--------------------	--------------------	--------------------	--------------------

## 8072 Stair Treads (Square Edged 1" x 11.5")



<b>RO</b> 8072RO48	<b>RO</b> 8072RO60	<b>WO</b> 8072WO48	<b>WO</b> 8072WO60
--------------------	--------------------	--------------------	--------------------

## 8070 Platform Landings (1" Bullnosed x 48" x 48")



<b>RO</b> 807048RO48	<b>WO</b> 807048WO48
----------------------	----------------------

## 8091 Landing Tread (3.25" x 1" Bullnosed) 3/8", 1/2", 3/4" THICKNESS



<b>RO</b> 8091-038-RO 8091-012-RO 8091-0750RO	<b>WO</b> 8091-038-WO 8091-012-WO 8091-0750WO
---	---

## 8091 Landing Tread (5.25" x 1" Bullnosed) 3/8", 1/2", 3/4" THICKNESS




<b>RO</b> 8091RO38 8091RO12 8091RO34	<b>WO</b> 8091WO38 8091WO12 8091WO34
--	--

<b>PFJ</b> PRIMED FINGER JOINTED PINE	<b>FJP</b> FINGER-JOINTED PINE	<b>MDF</b> MEDIUM DENSITY FIBERBOARD	<b>PMD</b> PRIMED MDF	<b>PIN</b> PINE	<b>FLX</b> FLEXIBLE
<b>RO</b> RED OAK	<b>WO</b> WHITE OAK	<b>HK</b> HICKORY	<b>MP</b> MAPLE	<b>POP</b> POPLAR	<b>CUS</b> Custom - inquire for special wood species

\*Images and dimensions are all nominal. Images shown reflect the standard profile's shape and dimensions, all products and lengths are subject to availability. Unless indicated, all trim and mouldings are RL (random lengths from 6' to 16').

# WOOD STAIR PARTS



TRADITIONAL BOX NEWEL

**4091**  
Box Newel  
1043215  
55" x 6-1/4"



4000 MODERN LINE X NEWEL

**4000**  
Newel  
1032822  
56" x 3-1/4"



4002 MODERN CHAMFERED TOP NEWEL

**4002**  
Newel  
1032823  
54" x 3-1/2"



OVAL  
ROSETTE  
7037  
1033079



RECTANGLE  
ROSETTE  
7036  
1033078

All Stair Parts Profiles are stocked in Red Oak, White Oak is available - Special Order

## HANDRAILS



6010 1032956 2-1/4" X 2-3/8" X 16'



6210 1037130 2-5/8" X 2-3/8" X 16'




6000 1042887 2-3/4" X 1-5/8" X 16'



6040 1034231 1-3/4" X 1-5/8" X 16'

## STAIR RISERS



1/2" X 7-1/2" X 90"



**8075PR-90**



11/16" X 7-1/4" X 16'



**18PR - 16**

\*1/2 risers (8075PR-90) are recommend for aesthetics and a little taller.

# IRON STAIR BALUSTERS

SATIN BLACK SQUARE BALUSTER #1036805



SATIN BLACK SINGLE TWIST BALUSTER #1038333



SATIN BLACK DOUBLE TWIST BALUSTER #138322



SATIN BLACK DOUBLE TWIST SINGLE BASKET BALUSTER #1038311



SATIN BLACK SINGLE TWIST DOUBLE BASKET BALUSTER #1038301



SATIN BLACK SINGLE KNUCKLE BALUSTER #1035543



SATIN BLACK DOUBLE KNUCKLE BALUSTER #1035549



SATIN BLACK DOUBLE TWIST BALUSTER 1/2" X 44" #1035264



All Stocking Satin Black Hollow 1/2" Square X 44"

# IRON ACCESSORIES



FLAT SHOE  
#1033963



ANGLED SHOE  
#1033916



WALL RAIL BRACKET  
#1032784



NEWEL POST FASTENER  
#1039039



EPOXY  
#1034793



WALL RAIL BRACKET  
#1032787

All Iron  
Stocking Stair  
Parts are  
stocking in  
Satin Black  
Only. Other  
finishes are  
available -  
Special Order

## Birch Plywood (Paint Grade C-2 Birch)



4 X 8 X 1/4" C-2 BIRCH GRADE	1/4" - 9003
4 X 8 X 1/2" C-2 BIRCH GRADE	1/2" - 9002
4 X 8 X 3/4" C-2 BIRCH GRADE	1/2" - 9002

## Preparation (Leveling/Patching)



Planipatch



Novoplan 2



QuickPatch

## Flooring Adhesives

## Underlayments



Fortane LD (5 gallon)

NO HOLLOW SPOT technology  
Urethane Wood Flooring



Fortane MBA (4 gallon)

One-Component Moisture Barrier  
Urethane Adhesive.



6 Mil Poly  
(Moisture Barrier)  
Flooring Underlayment  
PS-10x100-6mil



3mm Foam Pad  
Underlayment  
Padding

# LEGAL POLICIES

---

## BUSINESS TERMS

Not all drawings are to scale. The dimensions listed are as correct, actual size and shape of products may vary due to manufacturing and are subject to change without notice. Follow all manufactures guidelines and recommendations as well as the highest and best building practices, respectively, for intended use.

## CLAIMS & SHORTAGES

Any product that fall below industry standards will be exchanged or replaced at no additional cost to purchaser. All defective claims must be made prior to installation of products. Seller accepts no responsibility for labor, or other loss, experienced by the buyer because of use of the seller's products. All shortages must also be made prior to installation of products. Inspection of products before installation is the responsibility of the customer.

## RETURNS & EXCHANGES

All exchanges or returns must be in original packaging, no cut, dirty, painted, or wet material will be returned. All returns must accompany the original invoice within 30 days of invoice date. All products must be in a condition that a retailer would reasonably expect to sell as new, at its original condition. All exchanges or returns will incur 25% restocking fee (minimum of at least \$15.00) no exceptions. Refunds will be processed within 10 business days. All adhesives, setting material, stain, tools, saw blades & accessories are non-returnable. Flooring - Minimum of three boxes required to return flooring, depending on the manufacturer return policies, it may be up to 350ft minimum requirement, please inquire beforehand. OEM Flooring trim and transition are non-returnable.

## CUSTOM MILLWORK

Solid hardwood or softwood millworks and mouldings are manufactured in random lengths unless quoted to project specification. As lumber is a product of nature, variation in texture, color of grain patterns are natural & to be expected. Due to the nature growth differences in species, some are limited in lengths of Boards available. Many hardwoods are usually 9'-12' lengths But come as short as 6' or as long as 16' dependent upon lumber availability. Random lengths orders may include a maximum of 15% short lengths from 3' to 6' and 85% in lengths from 7' to 16'. Specific Length orders are subject to lumber availability and subject to a 25% upcharge in price.

## CUSTOM/SPECIAL ORDER

Full payment deposit is required on all custom or special order products, no exceptions. All special order or custom order millwork are non-refundable and non returnable once the order has been started in production.

## STORAGE, HANDLING AND PREPARATION OF ALL MILLWORK

Wood is hygroscopic, expanding as relative humidity levels increase and contracting when it loses moisture. Professionals refer to the relationship between wood and humidity as "equilibrium moisture content" (EMC). As the relative humidity in the environment increases, so does the moisture content in wood and the EMC so keep all wood away from the direct sunlight and water.

Based in Houston, Unique Wood products and our clientele are somewhat familiar with moisture and the damage it can do to lumber, again we strictly recommend all millwork must be effectively and continuously protected from exposure to direct sunlight, ground contact and other similar elements. To prevent changes in EMC millwork should be stored only in a dry, clean location and fully protected from water and high moisture. All millwork products must be "acclimated" to the environment. By storing in the installation space for at least 3 days prior to installation to prevent bowing, splitting or gap formation.

Hardwood (**Stair Treads**) is a product of nature and therefore, not perfect in any form or factor. Our wood products are manufactured in accordance with accepted industry standards, which permit grading deficiencies not to exceed 5%. These grading deficiencies may be of a manufacturing or natural type. Stair treads are a solid hardwood product, the relative humidity in your home must be kept between 35% to 55%.

The installer assumes all responsibility for final inspection as to grade, manufacture, and factory finish. Carefully examine hardwood products for color, grain and quality before installing it, this inspection must be done before installation. If a product is questionable or doubtful – **DO NOT INSTALL, CUT, OR OTHERWISE MODIFY THE PRODUCT. DO NOT LEAVE STAIRS TREADS STANDING UP OR LEANING AGAINST A WALL FOR ACCLIMATION, ACCLIMATION LIKE HARDWOOD IS 72 HOURS**

We recommend only Urethane based Adhesives for Solid hardwood products (stair treads and unfinished flooring).

If you use these ultra low VOC adhesives, you will almost certainly have warping and cupping issues causing you to have to replace your installation. This type of complaint is typically not covered by the adhesive manufacturer's nor our warranty. Because Liquid Nails' products are labeled very similarly and packaging can vary between location and retailer, we strongly discourage the use of any water based brand of adhesive, including Liquid Nails, for your stair installation. Most of these adhesives have a greater amount of moisture than what is suited for solid wood and is known to cause cupping of solid wood treads at the project job-site.

\*Liquid Nails and other names are trademarks of their respective owners

Warranty Exclusions:

- Indentions, scratches or damage caused by negligence, water, sand and abuse.
- Natural occurring changes in color from exposure to light.
- Warranties are void if installed over radiant heat.
- Poor installation workmanship.
- Improper care or maintenance.
- Failure to provide proper environmental conditions, including but not limited to maintaining proper humidity levels. Humidity level should not go below 35%. If the humidity in the building goes below 35% or exceeds 55% and causes cracking, delaminating, shrinkage, expansion, buckling, cupping, crowning or any other movements that alter the stair tread, the warranty is void.

Disclaimer:

Except as expressly set forth above, Unique Wood Products makes no warranty, express or implied, whether relating to merchantability, fitness for particular purpose or otherwise, and Unique Wood Products disclaims all warranties not expressly set for the above. Unique Wood Products reserves the right to make changes to the products listed without notice and without responsibility for existing items. Drawing and illustrations are nominal and may not be exact to scale.



### SOUTH HOUSTON LOCATION

-  281.962.4592
-  6815 Easthaven Building A  
Houston TX 77017
-  [hou@uniquewoodproducts.com](mailto:hou@uniquewoodproducts.com)



### NORTH HOUSTON LOCATION

-  713.462.5045
-  713.462.5086
-  9915 Tanner Road, Houston TX 77041
-  [info@uniquewoodproducts.com](mailto:info@uniquewoodproducts.com)



**SINCE 1988**

Images and dimensions are all nominal, Images shown reflect the standard profile's shape and dimensions, all products and lengths are subject to availability, Unless indicated, all trim and mouldings are RL (random lengths from 6' to 16').